GENERAL INDEX TO VOLUME 20, 1983

(New names are indicated by **boldface**, synonyms by *italics*)

Aborphysalis 332, 336–38
Acanthocheilonema 347
Acari—see mite, tick & individual taxa
acaricide—see pesticide
Acaridida 207, 345
Aceropyga 346
Acilius sulcatus 662
Adoneta spinuloides 146
Aedes 27, 106–07, 239–41, 455, 520–25, 686–87
abserratus 63, 106
aegypti 24, 26–28, 70, 73–76, 121–23, 130–31, 308, 325–29, 355, 372, 383, 386, 390, 455–56, 506, 508–09, 527, 575, 586, 620–21, 623
africanus, seasonal survival 128–33
albopictus 200, 298, 455–57
alcasidi 520–21, 524–25
atropalpus 24, 77–80, 605
aurifer 63
australis 240
canadensis 63–66, 106–07
cantans 660–62
cantator 506
cinereus 64
communis 63
cooki, interspecific crosses 520–25
detritus 270
dorsalis 295–99, 682
geniculatus, diapause in ... 263–71
hemisurus 686
hendersoni 373, 375, 393, 395
hexodontus 269
katherinensis 520–21, 524–25
kesseli 520–21, 523–25
luteocephalus 128, 130–31
malayensis 520–21, 524–25
melanimon 299, 622
nigromaculis 296, 299
pandani 455
polynesiensis 238, 520–21, 523–25
pseudoscutellaris 200, 520–22, 524–25
punctor 270, 660–61
rusticus 660–61
scutellaris grp. 520–25
serratus 357
sierrensis 240, 270
simpsoni 128
sollicitans 506, 606
stimulans 106–07, 269
taeniorhynchus 292, 506, 508–09, 622
triseriatus 63, 70–80, 106–07, 214, 269–70, 371, 373, 375, 410, 458–60
egg diapause in 601–07
gregarines in 70–75
survival & density 391–98
trivittatus 269, 410
vexans 63, 77, 296, 299, 410
nipponii 455
vittatus 662
sp. 77, 237–38, 622, 626
Afrixodes 334, 337
Agabus bipustulatus 662
Alectorobius 331, 335, 653–58
Alphalaelaps aplodontiae 206
Amblyomma 331
americanum 103–05, 136, 249, 438, 614
cordiferum 331, 338
cyprium 331, 338
geoemydae 331, 335–36
helvolum 331, 338
javanense 331, 337–38
maculatum 103, 136, 249, 414, 438–39
supinoi 331, 336
testudinarium 331, 336–38
variegatum 103, 248, 688
Amblyospora 241
californica 197
Amphipoda 212
Anaplasma marginale 248–55
anaplasmosis 248–56, 301
Anaxipha gracilis 472–73
Androlaelaps 644
Anocentor nitens 688
Anoetidae 345
Anomiopsyllus walkeri 558
Anopheles 239–41, 577
albimanus ... 240–41, 506, 508–09
annularis 578
barberi 78
barbirostris 578
darlingi, gonotrophic cycle 189–92
farauti 506
flavirostris 456
freeborni 297, 299
gambiae 240, 292
kochi 578
maculipennis 106
minimus 578
punctipennis 77
quadrimaculatus 78, 225, 506, 575, 621
sinensis 455–56
stephensi 121, 123, 241, 440, 506, 508–09
subpictus 577–78
vagus 577–78
walkeri 63, 78
sp. 237, 241, 622
anopheline 455–56, 577–78
Apatela oblinita 146
populi 146
Apanteles melanoscelus 423
Apatolestes actites 212–13
rugosus 213
Apicomplexa 70–75
Aplodontochirus borealis 206
Aplodontophila aplodontiae 206
pacifica 206
Aplodontopus latus 206
Apoloniinae 618–19
Aponomma 331
gervaisi 331, 338
lucasi 331, 337–38
pattoni 332, 335, 338
varanensis 332, 338
Araneae 316–17
arbovirus—see virus
Arctiidae 146
Argas pusillus 331, 336–38
robertsi 331, 335–36
Argasidae 248, 331, 570–71, 653–58
Arabian marine bird argasid .. 653
Argyrotaenia velutinana 423
Ascocystis 70
Ascogregarina barretti 70–74
culicis 70, 73
Ascoschoengastia 40, 43
lorentzimys 43
maculata 43
tristernala 40
Attagenus piceus 215
attractant, sex 104, 414, 438
3-chlorophenol 105
4-chlorothiophenol 105
Atyphloceras bishopi 38
multidentatus 218, 561
Austroconops 347
Autographia californica 144
Automeris io 146
Babesia 503
bovis 248
Bacillus darmstadiensis 237
kyushuensis 237
sphaericus 237–38, 620–22
thuringiensis 236, 621–23
var. israelensis 110, 235, 237, 620
Basilia 5
beetle 28, 248, 662
black carpet 215
Blastocladiales 238
Bombyliidae 368
Boophilus 332
mating behavior of hybrids 614–17
annulatus 504, 614–17
decoloratus 614
microplus 103, 248–49, 332, 336, 338, 614–17
resistance to in cattle 498–505

Brachycera 30, 212
Brugia timori 578
Brumptomyia avellari 466
galindoi 466–67
hamata 466–67
leopoldoi 466–67
travassosi 466
bug, bed 177, 215
swallow 690–91
bumblebee 368
Bunyavirus—see virus
butterfly, mourning cloak 146
Calliphora erythrocephala 221
Calliphoridae 220–21, 685
Carios 331, 337–38
Carnidae 344
Catallagia 558–64
arizonae 563
borealis 38, 563
calisheri 563
charlottensis 564
dacenkoi 563
decipiens 564
jellisoni 563
luski 558–64
mathesoni 558, 561–64
neweyi 563
sculleni 218, 561, 564
wymani 563
caterpillar, puss 146
range 146
saddleback 146
Cediopsylla simplex 35
cell line, from Lutzomyia longipalpis 199–202
Ceratophyllus petrochelidoni 690–91
Ceratopogonidae 79, 81–86, 177–82, 347–64, 514–19, 575, 659, 677–81
Chagas' disease 440–46, 574
Chaoboridae 241, 662
Chaoborus crystallinus 662
Cheiloceras 207
Chelonethida 468
chigger 174–76, 217
new species 40–43, 87–89, 134–35, 183–88, 203–06, 272–74, 306–07, 511–13, 565–67, 597–600, 618–19, 670–72
Chironomidae 79, 236, 575
Chironomus transvaalensis 662
Chiroptella **howelli** 306
komareki 306
musca 306
Chlorotabanus crepuscularis 302
Chorioptes bovis 591
Chrysomya
myiasis 685
albiceps 685
rufifacies 685
sp. 685
Chrysops 27, 302, 610–11
aberrans 609
ater 609
atlanticus 214
callidus 609–11
carbonarius 609
cincticornis 214, 609–11
cuclux 609
dawsoni 689
fuliginosus 214–15
indus 609–11
mitis 609–10
montanus 609
niger 609–11
obsoletus 214–15
sackeni 689
univittatus 609
venus 689
vittatus 29, 609
zinzalus 689
Chytridiomycetes 238
Cicadellidae 111
Cicadidae 346
Cimex hemipterus 177
lectularius 215
Cimicidae 344
Cochlidiidae 146
Cochliomyia hominivorax 220
Coelidiinae 111
Coelomomyces 238
stegomyiae 238
Coenagridae 662
Coleoptera 344, 662
Colicus 185
brasiliensis 185
minicolus 185
vesudor 185
Conocephalus strictus 215
Coquillettidia perturbans 63–66, 410
venezuelensis 357
Coriarachne versicolor 317
Corixidae 662
Corrodopsylla curvata 218
Corypsylla jordani 218
ornata 218
Cosmopsaltria 346
Cotrombicula 134
dasyphloea 134
dewae 134
macclurei 134
mitchellensis 134
Coxiella burneti 414
crab, land 468
cranefly 468
cricket 472–73
Crithidia 475
Ctenicera destructor 28
Ctenophthalmus pseudagyrtes pseudagyrtes 33, 35, 37
Culex 27, 76, 106, 239–42, 409–10, 412, 532–33, 686
Turlock virus transmission 682–84
bitaeniorhynchus 662
decens 662
declarator 682
erythrothorax 297, 299, 682
fuscocephala 455
gelidus 108–09, 455
abundance correlated with rainfall 108–09
inornata 412
molestus 44–48
nigripalpus 67, 225, 686–87
opisthopus 686
peus 627, 682, 684
pipiens .. 44, 77–79, 506, 508–09, 524, 627, 641–43, 682, 684
hibernating 157–63
population dynamics of .. 275–87
molestus 212
pallens 455
pipiens 359, 410, 412, 532, 627, 682–84
quinquefasciatus 352, 412, 526–33, 641–43, 682–84
restuans grp. 63–64, 66
portesi 682
quinquefasciatus 44–48, 239, 241–42, 343, 357, 383, 386, 390, 455, 577, 621–22
chemotaxis of larvae 641–43
restuans 77–79, 410, 412
population dynamics of .. 275–87
salinarius 225, 410, 412, 682
taeniopus 686–87
tarsalis 157, 160–61, 299, 410, 412, 626–27, 630–32, 635–38, 682–84
arboviral susceptibility ... 56–61
dispersal 193–98
territans 63, 77–79
thalassius 662
tritaeniorhynchus 60, 108–09, 455–56
abundance correlated with rainfall 108–09
virgultus 682
vishnui 455
sp. 77, 237–39, 410
Culicidae 9, 26, 28, 30, 44–48, 56–80, 106–09, 120–33, 157–63, 189–200, 212–13, 224–25, 235–41, 248, 263–71, 275–89, 294–96, 308–12, 325–29, 352, 357, 359, 371–76, 383–98, 409–10, 412, 455–60, 468, 506–10, 520–33, 575–78, 585–90, 601–07, 620–43, 659–63, 682–84, 686
Culicinomyces 110, 238–39
clavosporus 239, 575–76
black fly pathogen 575–76
Culicoidea 620
Culicoides 177, 347–48, 352–53, 355, 359, 360, 686
biting activity 514–19
new species 677–81
arboricola 515
austeni 348–49
barbosai 179, 350, 352, 355
bickleyi 515
biguttatus 516–18
brevitarsis 182
bundyensis 177
caprilesi 352
crepuscularis 515
depilipalpis 515
foxi 686

furens 179, 182, 350–53, 355, 517, 686
grahamii 348–49
guttipennis 515, 681
hanae 677–81
hollensis 182, 515
hortensis 348–49
impunctatus 182, 517
inornatipennis 348–49
insignis 686
insinuatus 352, 364
krameri 349
maritimus 681
marksi 177, 518
melleus 182
sexual response 81–86
milnei 348–49
mississippiensis, blood feeding through silicone membrane 177–82
niger 515
nubeculosus 177, 355
obscuripennis 349
obsoletus 182, 360, 515
odibilis grp. 681
pallidipennis 518
paraensis 352, 357–60
phlebotomus 350–54, 518
pictipennis 681
pifanoi 352
piliferus 515
pusillus 686
pycnostictus 349
ravus 349
riethi 355
saevanicus 681
sanguisuga 515
schultzei 518
spinosus 515
stellifer 516–18
travisi 515
univittatus 681
variipennis 28, 177, 182, 294, 296–99, 355, 359, 515–18
sonorensis 177
venustus 515–17
victoriae 177
vitshumbiensis 348–49
zuluensis 349
sp. 182
Culiseta 241
inornata 30, 86, 225, 295–97, 299, 410, 682
melanura 62, 409
morsitans 62
silvestris minnesotae 63
Cuterebra 113, 365, 368–69
angustifrons 365
buccata 368
emasculator 368
fontinella, aggregation behavior 365–70
rodent antibody response to 113–19
grisea 365, 369
jellisoni 113, 369
latifrons 365, 369
lepivora 365, 369
polita 365
ruficrus 113, 369
tenebrosa 365, 369
Cuterebridae 113–19, 365–70
Cyclorrhapha 220, 575
Dacnoforcipomyia 347
Daphnia sp. 662
Dasypsyllus gallinulae 216
Demodex bicaudatus 381
gapperi 377, 379–82
lacrimalis 381
longissimus 381
marsupiali 381
melanopteri 381
molossi 381
peromysci 377–82
Demodicidae, new species ... 377–82
Dermacentor 332
albipictus, 2,6-dichlorophenol in 103
andersoni 49–55, 97, 103, 136, 138, 141, 143–44, 248–56, 414, 424, 438
Colorado tick fever virus in 49–55
seasonal activity 49–55
atrosignatus 332, 336–38, 648
auratus 332, 336–38, 648
compactus 648–52
confractus 648
everestianus 648
parumapertus 104–05
Southeast Asian pig 648
variabilis 103, 136, 138, 141, 143–44, 151, 153–55, 248, 414, 424, 438, 534, 540, 547
sp. 648, 652
Dermaptera 344
dermatitis 146–50
Dermatophagoides
seasonal population structure 99–102
farinae 99–102
pteronyssinus 99–102
Derrickiella 87
Diamanus montanus 217–18, 561
Diceropyga 346
Dipetalonema perstans 347–48, 360, 364
reconditum 344
streptocerca 348–49, 364
Diptera—see family, genus & species headings
blood meal ID during EEE epizootic 686–87
Dirofilaria immitis 106
effects of gregarines on 70–75
disease—see specific headings; see also virus
Dixidae 236
Diximermis 241
Doloisia 176, 670–72
brachypus 670
browningi 670
domrowi 670
hexasternosetos 176
iranensis 670
nasicola 176
zentokii 179
Doratopsylla blarinae 33, 35, 37
dragonfly 240, 368
Drosophila 583
melanogaster 509
Drosophilidae 509
Echidnophaga gallinacea 691
Echinonyssus 644–47
apoensis 644–47
butantanensis 646
Ehrlichia bovis 414
Empididae 28
Endotrypanum schaudinni 475
Ephydridae 575
Epitedia scapani 218
wenmanni 37
wenmanni testor 33, 35, 37
equine infectious anemia 301
Eschatocephalus 337
Esenbeckia incisuralis 27, 30, 31
Euchaetias egle 146
Euproctis chrysorrhoea 146
Euschoengastia 203–06
chisosensis 205
maseri 203
pipistrelli 205
Eutrombicula 272–74, 597
goeldii 274
nadchatrami 272
venezuelensis 274
yunkeri 272–74
Falculifer 207, 210–11
Falculiferidae 207–11
filaria, monkey 348
filariasis 235, 237, 520
Bancroftian 577–78
Malayan 288
Filarioidea 347
Flavivirus—see virus
flea (see also Siphonaptera) 248
host range & distribution in Oregon 216–19
new species 558–64
on mammals in Connecticut 33–39
cricetid 218
deer mouse 218
human 219
rabbit 344
squirrel 217
sticktight 690–92
swallow 690–91
fly, black 28, 110–11, 226, 235–37, 242, 399–408, 575–76
bionomics & control ... 399–408
blow 30, 220–21
bot 1–10, 113–19, 365–70
deer 214, 301
face 29
infection with Heterotylenchus 318–24
horn 9, 180, 664–69
horse 212–14, 301
house 572–73

phlebotomine sand 199–202, 222–23, 357, 463–82, 568–69, 579–84, 659
new species 313–15
Forcipomyia 347
Foxella ignota 216
fungus (see also Culicinomyces) 4, 110, 235, 238–39, 575–76
Coelomomyces 238
green muscardine 240
laboulbeniomycete 6–8
Garnhamphysalis 332, 336
Glossina morsitans 8, 143
mechanical transmission of Trypanosoma 673–76
palpalis 673
tachinoides 673, 675
Glossinidae 673–76
grasshopper, meadow 215
greenhead, saltmarsh 11–32
grub, common cattle 119
northern cattle 119
Gryllidae 472
Guide to contributors 461–62
Guntheria 87–89, 565–67
antipodiana grp. 87
apteryxi 87
bisetosa 565
ditrichia 565
domrowi 87
echymipera 87
forbesi 565
podiana 87
queenslandia 87
Gyrinidae 240
Haemaphysalis 332, 337
aborensis 332, 337
anomala 333, 336–37
asiatica 334, 336–38
atherurus 332, 336–38
bandicota 333, 336–38
bispinosa 333, 336, 338
calvus 332, 336
canestrinii 334, 336
capricornis 332, 336–37
cornigera 333, 336–38
darjeeling 332, 336–37
doenitzi 333, 335–37
heinrichi 334, 336
hystricis 333, 336–37
koningsbergeri 334, 336–37
lagrangei 333, 336–38
leporispalustris, 2,6-dichlorophenol in 103
longicornis 249
megalaimae 334, 336
nadchatrami 333, 336–37
obesa 334, 336–38
ornithophila 333, 336
papuana 333, 336–38
semermis 333, 337
shimoga 333, 337
traguli 332, 336
wellingtoni 332, 335–36
Haematobia irritans 180
age composition 664–69
Haematopota 27
harvestmen 468
heartworm, dog 391
Hectopsylla knighti 691
psittaci 690–92
Heliothis zea 240
sp. 614
helminth 498
Helodidae 79
Hemileuca maia 146
oliviae 146
Hemiptera 344, 440–54, 485–97, 574, 662
Hertigia 465
Heterotylenchus aberrans 318
autumnalis 318–24
Hexoplostomus 207
Hippoboscidae 5
Histiostomidae 344
Homoptera 111, 346
Hoplopleuridae 551–57
hormone, gonadotrophic 534
juvenile 534
Hyalomma 342
anatolicum 104
excavatum 105, 136–45
mating regulation in 136–45
asiaticum 136
dromedarii 103, 249, 342
effects of precocene-2 ..... 534–40, 541–50
mating regulation in 136–45
pheromone gland activity 424–39
pheromone gland formation in 414–23
excavatum 342
marginatum rufipes 248, 342
truncatum 103, 136, 342
Hybomitra 610–11
affinis 610–12
aurilimba 689
illota 689
lasiophthalma 214, 610–11
lurida 611, 689
microcephala 610–11
minuscula 689
nuda 610–12
rupestris 24
sodalis 609–12
zonalis 689
Hydrophilidae 662
Hydroporus palustris 662
Hyperaspidacarus 207, 209
abbreviatus 207, 211
tridentatus 207, 209, 211
Hypoderma bovis 119
lineatum 119
Hystrichopsylla occidentalis 216
Hystrichopsyllidae 558–64
Indocentor 332, 336–38, 648–52
compactus tricuspis 648
insecticide—see pesticide
Isomermis lairdi 242
Isopoda 212
Ixodes 334, 336–38
acutitarus 334, 337
angustus 90, 97
cookei 153–55
eastoni 90–98
granulatus 334, 336–38
kingi 97
kopsteini 335, 337
marxi 153
muris 153
ochotonae 90, 97
angustus complex 97
ovatus 335–36
radfordi 334, 337–38
ricinus 688
soricis 97
spinicoxalis 334, 336–37
spinipalpis 97–98
texanus 153–55
vespertilionis 334, 337
Ixodidae 49–55, 90–98, 103–05, 136–45, 151–56, 248–56, 330–42, 414–23, 424–39, 498–505, 534–50, 614–17, 648–52
Ixodoidea 136–45, 331, 648–58
Kaiseriana 333, 336–38
kala-azar 579, 582
ked 551
Kymocta brasiliensis 174–76, 188
faitkeni 185
inca 185, 188
lutui 185, 188
Laelapidae 644–47
Lagenidiales 238
Lagenidium giganteum 110, 238–39
Lagoa crispata 146
Lankesteria 70
larvicide—see pesticide
Lasiocampidae 146
Lasiohelea 347
taiwana 360
Lecudinidae 70–75
Leishmania braziliensis 463, 478–79, 482
guyanensis 478
panamensis ... 463, 465, 473–81
donovani 579, 581–82
hertigi deanei 479
hertigi 474–77, 479, 481
mexicana 478–79
amazonensis 478–79
aristedesi 466, 474–82
leishmaniasis 235, 313, 579, 582
ecology of in Panama 463–82
Lepidixodes 335, 337
Lepidoptera 144, 146–50, 236, 240, 344, 439
Lepiselaga crassipes 352–53
leprosy 235
Leptoconops 347
becquaerti 350, 352
spinosifrons 518
torrens 182
Leptolegnia 238–39
Leptopsylla segnis 345
Leptospira 249
Leucotabanus annulatus 302
Libellulidae 662

louse 344, 551–57
Lithosia caniola 149
Loxosceles laeta 317
reclusa 316–17
Loxoscelidae 316–17
Lutzomyia 313, 315, 465–66
abonnenci 474–75
aclydifera 220, 469
anduzei 466
aragaoi 466, 472
atroclavata 469, 472
ayrozai 466, 472
barrettoi 470
bispinosa 466, 472–73
botella 465
californica 315
campbelli 315
camposi 469
caprina 466
carpenteri 469
carrerai thula 468, 473
cayennensis 469–70
chassigneti 466
chiapanensis 470
cruciata 466–67, 472–73
dasymera 315, 466, 472
dysponeta 220, 466–67, 472
furcata 466
gasti 466
geniculata 466, 472–73
gomezi 220, 465–66, 471, 473–75, 481
gorbitzi 466, 472
hansoni 466
hartmanni 466, 472
hirsuta nicaraguensis 466
insolita 465
isovespertilionis 468
lichyi 466, 472–73
longipalpis 470–71, 568–69
arbovirus growth in cells 199–202
marajoensis 466, 472
micropyga 466, 472
migonei 313, 315
nicaraguensis 466
nocticola 466
nordestina 466, 472
nuneztovari 315, 466
odax 466, 472
olmeca bicolor 220, 465, 473, 475, 481
oppidana 313
oresbia 465
ovallesi 473
panamensis 220, 465–66, 473–74, 481
pessoana 473
pia 466–67, 472
pilosa 466, 472
punctigeniculata 466, 472
rangeliana 466
reburra 466, 472
recurva 466, 472
rorotaensis 466, 472
rosabali 466, 472
rubidula 466
runoides 466–67, 472
sanguinaria 220, 466, 471, 473–75
saulensis 466, 472
serrana 466, 472–73
shannoni 474–75
soccula 465
spinosa 470
stewarti 315
tintinnabula 466
trapidoi 220, 465, 468, 470, 473–75, 481
trinidadensis 220, 471, 474–75
triramula 469, 474
tuberculata 466, 472
undulata 466, 472
verrucarum 313, 315
vesicifera 466–67, 472–73
vespertilionis 468, 471, 473–75
viriosa 466–67
volcanensis 466
walkeri 466, 472
xerophila 313, 315
ylephiletor 465–66, 468, 470, 473–75, 481
Lymantria dispar 146–50
monacha 149
Lynchiella 622
Malaraeus telchinum 218
malaria 120–27, 189, 228, 235, 237, 456, 577–78
Mansonella ozzardi 349–50, 352–53, 355, 360, 364
mansonellosis 347, 350, 352–53, 355
Mansonia
dispersal & flight range ... 288–93
amazonensis 352
annulata 288–93
annulifera 288
bonneae 288
dives 288
indiana 288–93
perstans 364
streptocerca 364
titillans 686
uniformis 288–93
sp. 292
Mansonioides 288
Mayacnephia 405
Megabothris abantis 217
asio asio 35, 38
Megalopyge opercularis 146, 148
Megalopygidae 146
Megaselia rufipes 688
scalaris 688
Megistopoda aranea 1, 4–8
Melanoconion 686
Melophagus ovinus 551
Meningonema 348
Mermithidae 226
Mesomermis flumenalis 242
Metarhizium 238
anisopliae 240
Metastigmata—see tick
Metriocnemus knabi 607
microbial control,
a review 235–47
Microlabidopus americanus 206
microsporidium 197, 240–41
Microtrombicula fragibarba 183
rhipidomysi 183
tragulata 183, 185
midge 236
biting 28, 81–86, 177–82, 294–96, 514–19, 677–81
in human health, a review 347–64
pitcher plant 607
mite (see also Acari & individual taxa) 4, 8, 472
feather, new species 207–11
house dust 99–102
itch, new species 164–73
Miyacarus 597, 599
Miyatrombicula
balcanica 599
barbatulus 599
benensoni 599
caucasica 599
esoensis 597
kumadai 599
muris 599
nikitini 599
okadai 599
ramitensis 599
reptilica 599
rixoli 597
Mochlonyx culiciformis 662
Monopsyllus ciliatus
protinus 218
wagneri 218
mosquito—see also Culicidae
anopheline 575
cytoplasmic incompatibility 44–48
egg resorption & degeneration 106–07
feeding patterns on malarious mice 120–27
genetics 44–48
habitat preference 62–69
segregation in tire yards 76–80
repellents against 506–10
surveillance in the Pacific 455–57
treehole 263, 308, 391–98, 601–07
moth, dermatitis from gypsy 146–50
red-banded leaf roller 423
urticaria producing 146–50
Musca autumnalis 29, 220–21, 318, 320, 322
domestica 220–21
diet, new larval 572–73
vetustissima 220, 323, 664
Muscidae 29, 180, 318–24, 572–73, 664–69
myiasis 113, 685
Mystacinobiidae 344

Nearctopsylla genalis
genalis 35, 37
Nematocera 212, 575
nematode, filarial &
mermithid 70–75, 110, 177, 235–36, 241–42, 318–24, 347
Neoschoengastia **gigantea** 40
heynemani 40
strongi 40
Neosomia 306
Noctuidae 146, 423
Nosema algerae 240
Nosomma monstrosum 335–36
Nycteribiidae 1, 5, 344
Nymphalidae 146
Nymphalis antiopa 146
Ochrops fulvus 29
Octomyomermis muspratti 241
Odonata 662
Odontopsylla multispinosus 38
Oecacta 677–81
Oeciacus vicarius 690–91
Onchocerca 349
cervicalis 177
volvulus 355
onchocerciasis 226, 236, 349, 355, 407
Oomycetes 238–39
Opisodasys keeni 218
vesperalis 217
Orchopeas howardii 35, 38
leucopus 33, 35, 38
nepos 217
sexdentatus 561
agilis 217
cascadensis 218
Orgyia leucostigma 146
pseudotsugata 146
Ornithodoros 249, 331, 335
amblus 655–56
batuensis 331, 337
capensis 331, 335, 653–58
coniceps 655
erraticus 570–71
maritimus 655
marocanus 571
muesebecki 653–58
parkeri 534
sonrai 570–71
Ornithomyia 5
Ornithophysalis 333, 335–38
Oropsylla arctomys 38
Orthopodomyia signifera 63, 77
Orthoptera 468
Oudemansidium 306
Pangonia longirostris 27–28
Pangoniinae 212
Panstrongylus megistus 440–45, 492
Paramiyacula 597
Parathelohania 241
Partipalpiger 336
Patrinyssus hubbardi 206
Pavlovskyella 570–71
Pentagonella ilesi 597
Periplaneta americana 688
Peromyscopsylla hamifer 35, 38
hesperomys 33, 35, 38, 218
pacifica 561
scotti 38
selenis 217
Persicargas 331, 335–36
pesticide, acaricide 498, 540, 547, 688
amitraz 688
Baygon 445
bendiocarb 440–45
benzene hexachloride 440, 445
carbamate 440
chlorpyrifos 325
crotoxyphos 688
DDT 399
Dursban 498
Ficam W 440
larvicide 224–25, 402, 620–24
malathion 445, 632
permethrin 688
stirofos 664
temephos 399, 401, 405, 407
controlled release
against mosquitoes . . 325–29
Phaenicia 685
cuprina 220
Phalangida 468
pheromone (see also
attractant) 81, 86, 547
2,6-dichlorophenol 103–05, 136–45, 342, 414, 425, 430, 435, 438–39
sex 103–05, 136, 342, 414, 424–39, 495, 534, 541
Philoliche 27
Phlebotomus martini,
rearing 579–84
papatasi 9, 568–69
Pholeoixodes 90–98
Phoridae 688
Phormia 29
regina, mating in 220–21
Phthiraptera 344, 551–57
plague 344, 558, 560–61
Plasmodium berghei . . . 120–23, 126
chabaudi 120–23, 126
falciparum 577
malariae 577
vivax 456, 577
Polyplax serrata 551–57
precocene-2, effects on
camel tick 534–40, 541–50
Prostigmata . . 164–73, 377–82, 597–600
protozoa 70–75, 414
Psammolestes arthuri 492, 494
megistus 494–95
pseudoscorpion 468
Psocoptera 111
Psorergates apodemi grp. 164, 166, 172–73
auricola 169
baueri 169, 171–73
callipides 165
canadensis 164, 169
cinereus 164, 171–72
crocidurae 171
dissimilis grp. 169, 172–73
glaucomys 164, 172
mexicanus 169, 173
microti 166, 172
musculinus 172
neerlandicus 166
peromysci 164, 166, 173
pinetorum 166, 173
pitymydis 166
sciuricola grp. 172
simplex 164
soricis 171–72
squamipes 171–72
talpae 171
townsendi 169, 173
watsoni 164, 173
Psorergatidae, new species . . . 164–73
Psorobia bos 164
castoris 164
cercopitheci 164
ovis 164
Psorophora 241
ciliata 225
columbiae 225, 325–29
jamaicensis 686
signipennis 296–99
Psoroptes
reproductive biology 591–96
cuniculi 257–62, 591–93, 595
ovis 257–62, 591–95
Psoroptidae 257–62, 591–96
psoroptosis 257
Psychodidae . . 79, 199–202, 222–23, 313–15, 463–82, 568–69, 579–84
Pterolichoidea 207
Pulex irritans 219, 345
simulans 219, 345
Pulicidae 690–92
Pyralidae 344
Pyroglyphidae 99–102
Reduviidae 440–54, 485–97, 574
repellent
against mosquitoes 506–10
butoxy polypropylene
glycol 507–08
citronella, oil of 509
Citronyl 507
dibutyl phthalate 507
diethyl toluamide 507, 509
dimethyl phthalate 507
ethyl hexanediol 507
Indalone 507
MGK 507
permethrin 507–08
pyrethrum 441, 444
SRI 507
USDA 507
Reticulinasus 331, 337
Rhabdoviridae—see virus
Rhadinopsylla orama 38
sexdentatus goodi 217
Rhipicephalus appendiculatus . . . 103, 136, 248–49, 254
compositus 103
haemaphysaloides 335–38

pulchellus 103
sanguineus 103, 136, 335–37, 540, 547
simus 103
Rhipistoma 334, 336–38
Rhipiurus 210–11
Rhodnius neglectus 494
neivae 492
pictipes 492
prolixus 440–42, 445–46, 452–53, 492–95
robustus 492, 494
rickettsia 47, 98, 151–56, 414, 520–21, 524–25, 648
Rickettsia conori 414
montana 152, 154–55
rickettsii 151–52, 154–56
Rocky Mountain spotted fever 151–56
Romanomermis culicivorax 110, 241–42
iyengari 241
nielseni 241
Saproglyphidae 344
Saprolegniales 239
Saturniidae 146
Scepsis nivalis 212
schistosomiasis 235
Schoengastiini 40–43
Seglalia 336–38
Sergentomyia africana, rearing 579–84
schwetzi, rearing 579–84
Sibine stimulea 146
Simuliidae 9, 226, 350, 353, 399–408, 575–76
Simulium 355, 360
amazonicum 352–53, 364
argentiscutum 364
callidum 402–03
damnosum 226
earlei 401
exiguum 407
metallicum 401–07
mexicanum 401, 403
ochraceum 401, 403
panamense 401
quadrivittatum 401–07
samboni 401, 405
sanguineum 352–53
virgatum 401, 403
vittatum 575–76
sp. 347, 352–53
Siphonaptera 33–39, 216–19, 334, 558–64, 690–92
Speiseria ambigua 3–6, 7, 9
peytoni 7
Sphingidae 146
Stegomyia 130, 520–25
Stenoponia americana 33, 35–36
Stomoxys calcitrans 673
sp. 673
Strebla guajiro 3–7, 9
wiedemannii 4
Streblidae 344
biology & ecology of 1–10
Strelkovimermis peterseni ... 241–42
Streptomyces culicidus 110
Syrphidae 575
Tabanidae 11–32, 214–16, 301–05, 352–53, 689
autogeny & burrow oviposition 212–13
biology of male 608–13
California grp. viruses in 214–15
mark-recapture to assess movement 301–05
Tabanus americanus 302
atratus 27, 302
catenatus 611
fuciostatus 302
lineola 302–05
nigripes 302
nigrovittatus 27, 214–15
mouthparts & assoc. sensilla 11–32
petiolatus 302
proximus 302
quinquevittatus 29–30
reinwardtii 610–11
similis 610
sulcifrons 27, 302
trimaculatus 302
Tamiophila grandis 33, 35, 37
techniques
detection
cell culture for virus 458–60
immunofluorescence for virus 458–60
serum antibody in Psoroptes 257–62
electrophoresis 570–71
ELISA 257–62
feeding
artificial for Dermacentor 248–56
silicone membrane for Culicoides 177–82
light trap
dry ice for sand flies 222–23
for mosquito larvae 659–63
mark-recapture for tabanids 301–05
mosquito blood meal separation 120–27
rearing
larval diet for house fly 572–73
sand flies 568–69
survival rate estimation 343
test pool for mosquito larvicides ... 224–25
Tetranychus 595
Thaumatopoea wilkinsoni 148
Theileria annulata 414
cervi 249
dispar 414
parva 248–49
Thelohaniidae 241
Thrassis francisi 218, 558
tick (see also Acari) 33, 103, 136–45, 151–56, 217, 248, 330–42, 357, 360, 457, 498–505, 648–58, 688
attraction to 2,6-dichlorophenol ... 104–05
differentiation by electrophoresis 570–71
new species 90–98
Thailand, checklist of 330–41
American dog 151, 153–55
camel 414–39, 534–50
lone star 103
metastriate 104–05
Rocky Mountain wood 49–55
southern cattle 249
Tipulidae 468
togavirus—see virus
Tolypocladium 238
cylindrosporum 240
Toxorhynchites ... 79, 110, 308–10, 312, 383, 386–87, 585, 587–88
Bacillus against 620–24
oviposition dynamics 371–76
amboinensis 308, 620–23
brevipalpis .. 308, 371–76, 620–23
rutilus rutilus ... 371–76, 620, 622
dispersal & oviposition .. 383–90
field releases 308–12
functional response 585–90
rutilus septentrionalis 79, 606–07
theobaldi 620–22
Traubacarus 176
Triatoma barberi, biology & behavior 485–97
brasiliensis 492–93
dimidiata 441–42, 494–95
gerstaeckeri 493, 574
infestans 441–42, 445, 492, 494
temperature orientation in 446–54
protracta 492–95
pseudomaculata 492–93
sanguisuga 493, 574
sordida 492
development of eggs 574
Triatominae 453
bendiocarb against 440–45
Trichobius 1
joblingi 3–8
persimilis 7
Trichoplusia ni 144, 423
Trombicula cynos 597
esoensis 597
jonesae 597
kochiensis 597
pentagona 597
reesi 597
sargenti 597
scottae 597
talyzini 597
tokyoensis 597
Trombiculidae (see also chigger) 40–43, 87–89, 134–35, 174–76, 183–88, 203–06,

272–74, 306–07, 511–13, 565–67, 597–600, 618–19, 670–72
Trombidium akamushi 89
Trypanosoma brucei 673–76
cruzi 1, 440–45, 485, 494
gambiense 673
leonidasdeanei 475
thecadactyli 475
Trypanosomatidae 472
trypanosomiasis 235, 457
tsetse 143, 177, 248, 673–76
Tunga 691
typhus 344
scrub 599
Tyroglyphidae 345
Uranotaenia 241
lowei 686
urticaria 146–50
Vargatula hispida 618
pacifica 618
somaliensis 618
Vavraia culicis 240–41
Villa alternata 368
virus 56–61, 157, 199–202, 214–16, 235, 294–300, 347, 355, 359, 414, 526, 568, 648, 653
detection methods 458–60
model for Turlock transmission 625–40
Aguacate 201
Akabane 356
Anhanga 200–01
Arumowat 201
Bandia 570
Blue Lake 295
bluetongue 177, 518
Bunyamwera 106, 215, 295–97
Bunyaviridae 355, 570, 625–40, 682
Bunyavirus 200, 625
Cache Valley 200
California grp. 106, 214–16, 295
Candiru 201
Chagres 201
Chandipura 201
Changuinola 200–01
chikungunya 200, 456–57, 526
Colorado tick fever 49–55 97, 200
Congo 359
Crimean hemorrhagic fever ... 360
Crimean-Congo hemorrhagic fever 414
dengue 132, 456–57, 520, 526, 532
Dera Ghazi Khan 414
Dhori 414
Dugbe 359–60
encephalitis 360
eastern equine 62–69, 127, 215, 360, 686–87
Japanese/Japanese B 60, 108, 360, 456, 526
La Crosse 76, 214, 371, 391, 397, 458–60
St. Louis 56–61, 193, 200, 275, 286, 526–33, 625
Venezuelan equine 127, 526
western equine 56–61, 193, 215, 294, 296, 457, 625
Flanders 66, 409–13
Flavivirus 200, 528, 532–33
Gabek Forest 200
Hart Park 409–11
Icoaraci 200
Isfahan 201
Jamestown Canyon 214–15
Joa 201
Jurona 201
Kadam 414
Karimabad 201
Kemerovo 200
Keystone 214–16
Klamath 200
Kununurra 201
Nairovirus 570
Naples sand fly fever 201
Oropouche 355–57, 360
Pacui 201
phlebovirus 200–01
Poona 201
Powassan 90, 97–98
Punta Toro 201
Qalyub 570
Rhabdoviridae 409
Rhabdovirus 200
Rift Valley fever 359
Rio Bravo 533
Rio Grande 313
Rocio 532
Ross River 200
Salehabad 201
Sicilian sand fly fever 201
Simbu grp. 355–56
Tettnang 414
Turlock 625–40, 682–84
vesicular stomatitis 201
West Nile 60, 200, 526, 532
yellow fever 128, 130–32, 526
Warileya hertigi 466–67
nigrosaccula 466
rotundipennis 466–67
Willmannium 306
Wolbachia 438, 525
pipientis 47
sp. 520, 524
Wuchereria bancrofti 577–78
Wyeomyia smithii 212, 270
Yersinia pestis 558
Zumptrombicula 511–13
cynictia 511
misonnei 511

VERTEBRATE INDEX

Aethomys namaquensis 511
Agelaius phoeniceus 409
Agouti paca 476
Ammospermophilus leucurus ... 345
Amphibia 473, 686
Anastomus oscitans 331, 335
Anseriformes 412
anteater 473
Aotus trivirgatus 475
Aplodontia rufa 203–06
Apteryx australis mantelli 87
Arborophila sp. 332, 335
Arctictis binturong 333–34, 336
Arctogalidia trivirgata 333, 336
Arctonyx collaris 332–34, 336
armadillo 473–74
Nine-banded 468, 618
Artibeus jamaicensis 1, 2, 7, 8
lituratus 2
Artiodactyla 336
Arvicanthus niloticus 570
Athene brama 331, 336
oscitans 331
Atherurus macrourus 332, 337
badger 336
Burmese Ferret 336
Hog 336
Bandicota indica 332–35, 337
savilei 333–34, 337
sp. 333, 337
Barbet, Gaudy 336
Lineated 336
Bassaricyon gabbii 475
bat 1–10, 38, 306–07, 337, 357, 468, 473, 475
Common Sheath-tailed 134–35
Greater Yellow 337
horseshoe 337
Intermediate Horseshoe 337
Lesser Yellow 337
Noack's African Leaf-nosed ... 306
Sheath-tailed 475
Wrinkled-lipped 337
Bear, Asiatic Black 336
Black 51
Beaver, Mountain 203–06
Binturong 336
Blackbird, Red-winged 409
Rusty 412
Blarina brevicauda 35, 37, 154
Blarinini 172–73
Blue Jay 409
Boiga dendrophila 332, 338
Bos domesticus 333–36
gaurus 333, 336
indicus 498, 503
taurus 498, 503
Bovidae 686
Bradypus infuscatus 475
Bubalis bubalis 332, 335–36

Bubo virginianus pacificus 690
buffalo 504, 578
Water 336
Bulbul, Blandford's Olive 336
Callosciurus finlaysoni 334, 337
flavimanus 334, 337
notatus 334, 337
Calomys sp. 530
Calotes versicolor 332, 338
camel 414, 534
Camelus dromedarius 136
Canis familiaris 332–36
latrans 51, 219
Cannomys badius 332, 337
Capra hircus 332, 336
Capricornis sumatraensis ... 332, 336
Caprimulgus nigrescens 272, 274
Cardinal 409
Cardinalis cardinalis 409
Carnivora 336, 356, 474
Carollia 1–10
brevicauda 3, 7
castanea 2, 3
perspicillata 1–4, 6–7, 9
Carp, Grass 110
cat 336, 357, 444
Leopard 336
Catbird 412
cattle .. 164, 257, 298–99, 301, 318–19, 336, 355, 359, 414, 473, 498, 503, 514–19, 664, 675, 685–86
Centropus bengalensis 333, 335
sinensis 332–33, 335
Cervus unicolor ... 331, 333–34, 336
Charadriiformes 335
chicken 299, 474, 686
chipmunk 33, 38, 97–98, 562
Eastern 35, 154–55
Least 50
Townsend's 218
Chiroptera 2, 336
Chloropsis auriformis 332, 335
Choloepus hoffmanni .. 463, 475, 481
Ciconiiformes 335
Civet, Common Palm 336
Large Indian 337
Three-striped Palm 336
Claravis pretiosa 207, 211
Clethrionomys 561
gapperi 33, 93–94, 368, 377, 379
glareolus 166, 172
Coati, Southern 475
Cobra 338
Coendou rothschildi 476
Coluber radiatus 338
Columbidae 207–11
Columbiformes 299, 412
Columbigallina 211
Columbina 207, 211
minuta minuta 211
passerina 211
griseola 211
picui 211
talpacoti rufipennis 211
Conejo Pintado 469
Conepatus 469
Copperhead, Asian 338
Coraciiformes 335
Corvus macrorhynchos 331, 335
Cottontail, Eastern 36, 38
Coucal 335
Coyote 51, 219
Cricetidae 173, 377–82
Cricetulus migratorius 670
Crocidura murina 334, 337
Crocidurini 173
Crow, Jungle 335
Cryptomys hottentotus 173
Cuculiformes 335
Cuniculus paca 469
Cyanocitta cristata 409
Cynictis penicillata 511
Dactylopsila trivirgata 43
Dasypus novemcinctus 469, 618
deer 298
Common Barking 336
Lesser Mouse 336
Mule 51, 219
Sambar 336
White-tailed 103, 214
Desmodus rotundus 2, 4
Didelphis 469
virginiana 152, 219
dog 71, 151, 155, 336, 357, 414, 444, 463, 475, 685
dove, ground 207
Dremomys rufigenis 334, 337
Dromedary 136
Ectophylla alba 2
Edentata 473–74
Elaphe radiata 331, 338
Eonycteris spelaea 331, 337
Eptesicus demissus 331, 337
Erethizon dorsatum 51
Eudynamis scolopacea 331, 335
Eutamias minimus 51, 94
townsendii 218
sp. 562
Felis bengalensis 334–36
catus 335–36
chaus 334, 336
sp. 334, 336
fish, mosquito 110
Fowl, Red Jungle 335
fox 38
Gray 219
Red 219
Galliformes 335
Gallus gallus 332, 336
Gambusia affinis 110
Garrulax erythrocephalus ... 333–35
leucolophus 332, 335–36
Gaur 336
gecko 468, 472, 475
Glaucidium cuculoides 332, 336
Glaucomys sabrinus 217
volans 164, 172
Glossophaga soricina 2
goat 336, 414, 578
Gonotodes albogularis fuscus 472
Grackle, Common 412
Grosbeak, Rose-breasted 409
guppy 110
Gymnure, Lesser 337
Hamster, Golden 476
Migratory 670–72
Hare, Siamese 337
Heron, Night 335
Herpestes javanicus 331, 333, 334, 336
Heterocephalus glaber 618
Hipposideros ruber ruber 306
Hirundo pyrrhonota 690
Hoopoe 335
Hoplomys gymnurus 475
horse 298–99, 301–05, 355, 414, 473, 686
Hylomys suillus 334, 337
Hystrix hodgsoni 332, 337
Iguanidae 272
Insectivora 36–38, 90–98, 172, 218, 337
jack rabbit 113, 636
Black-tailed 219, 295, 297, 299, 627
Kingfisher, Banded 335
Kinkajou 475
kiwi 87
Lacedo pulchella 331, 335
Lagomorpha 36, 113, 126, 337, 365
Lark, Collared Bush 336
Leafbird, Gold-fronted 335
Lepus californicus 219, 295, 297, 299, 627
peguensis 334–35, 337
siamensis 337
lizard 272–74, 469
iguanid 272
tree 338
Locustella lanceolata 334, 336
Lophura nycthemera 333, 335
Macaca fascicularis 335, 337
Macaque, Crab-eating 337
Manis javanica 331, 337
pentadactyla 331, 337
Marmosa robinsoni 476
Marmota monax 38, 154
marsupial 357
Martin, African Sand 691
Gorgeted Sand 336
Mastomys sp. 570
Megalaima mystacophanos .. 331, 336
zeylanica 333, 336
Melampitta gigantea 40
Melampitta, Greater 40
Meleagris gallopavo 332, 335
Melogale personata ... 332, 334, 336
Menetes berdmorei 332–35, 337
Mephitis mephitis 153
Mesocricetus auratus 476
Metachirus 469
Microtidae 172–73
Microtus 561
canicaudus 218
duodecimcostatus 169
longicaudus 93, 97, 218
oeconomus 166
pennsylvanicus 37, 93–94, 97, 152, 164, 368

insperatus ... 93
pinetorum ... 166
townsendi ... 169
sp. ... 93, 94
Mirafra assamica ... 333, 336
mole ... 37, 173
Townsend's ... 218
Mole-rat, Naked ... 618
South African ... 173
Mongoose, Javan ... 336
Monitor, Bengal ... 338
Water ... 338
monkey .. 128, 131–32, 164, 355–57
Night ... 475
Patas ... 355, 364
mouse ... 97, 113, 127, 558–64
Cane ... 185
Climbing ... 183
Cook's ... 337
Deer ... 38, 51, 97, 218, 368
Fawn-colored ... 337
field ... 97
Greater Tree ... 565
White-footed ... 33, 35–38, 119, 153–55, 368, 377
Woodland Jumping ... 35, 153–54
Muntiacus muntjak ... 333–36
Mus ... 646
cervicolor ... 332, 335, 337
cookii ... 335, 337
musculus ... 113, 164, 530
Muscicapa grandis ... 335–36
Mustela vison ... 152
Myna, Common ... 336
Crested ... 336
Jungle ... 336
Pied ... 336
Myotis nigricans ... 2
Naja naja ... 332, 338
Napaeozapus insignis ... 35, 153
Nasua nasua ... 475
Neomys fodiens ... 169
Neotoma cinerea ... 94, 97, 218
orolestes ... 94
fuscipes ... 218, 561
lepida ... 561
Neurotrichus gibbsii ... 218
Nightjar, Blackish ... 272
Niltava, Greater Black-breasted ... 336
Notiosorex crawfordi ... 171
Nycticorax nycticorax ... 331, 335
Odocoileus hemionus ... 51, 219
virginianus ... 103, 214
Olingo, Bushy-tailed ... 475
Ophiophagus hannah ... 331–32, 338
opossum ... 469
Brown Murine ... 476
Virginia ... 151–55, 219
Oryctolagus cuniculus ... 113
Oryzomys capito ... 475–76
fornesi ... 185
Otus bakkamoena ... 331, 336
Ovenbird ... 409
Owl, Collared Scops ... 336
Great Horned ... 690–91
Owlet, Barred ... 336
Spotted ... 336
Paca ... 476
Pangolin, Chinese ... 337
Malayan ... 337
Paradoxurus hermaphroditus ... 333–36
partridge ... 335
Passer domesticus ... 62, 409, 526, 626–27, 682
Passeriformes ... 299, 335, 412
Pelecaniformes ... 336
Pelecanus philippensis ... 331, 336
Pelican, Spotted-billed ... 336
Perissodactyla ... 337, 473, 686–87
Peromyscus boylii ... 559, 561–62
californicus ... 561
leucopus ... 33, 113, 119, 153, 165, 173, 368
maniculatus ... 51, 94, 97, 113, 164–65, 173, 218, 368, 559–64
nebrascensis ... 93–94, 97
truei ... 561
sp. ... 36, 38, 93, 560
Phasianidae ... 686
Pheasant ... 335
Pheucticus ludovicianus ... 409
Phoebe, Black ... 690
Pholidota ... 337
Phylloscopus sp. ... 333, 336
Phyllostomatidae ... 2, 9
Piciformes ... 336, 412
pig ... 336, 357, 618, 686
Pitta caerulea ... 331, 336
fulvous ... 336
moluccensis ... 332, 336
oatesi ... 333, 336
sora ... 335–36
Pitta, Blue-crowned ... 336
Blue-winged ... 336
Giant ... 336
Pitymys ... 169
duodecimcostatus ... 166
Poecilia reticulata ... 110
Pogonomys forbesi ... 565
porcupine ... 51, 473–76
Bush-tailed ... 337
Crestless Malayan ... 337
Prehensile-tailed ... 476
Possum, Common Striped ... 43
primate ... 337, 358, 473–74
Procyon lotor ... 35, 152
Proechimys semispinosus ... 463, 475–76
Ptyas korros ... 332, 338
Pycnonotus blanfordi ... 332, 336
Python reticulatus ... 331, 338
sp. ... 331–32, 338
rabbit ... 38, 113, 257–62, 298–99, 344, 369, 473–74
Raccoon ... 35, 151–55
rat ... 338
Armored ... 475
Bandicoot ... 337
Bay Bamboo ... 337
Bower's ... 337
Chestnut ... 337
Cotton ... 113
forest ... 174
Great Bandicoot ... 337
Lesser Bandicoot ... 337
Lesser White-toothed ... 337
Müller's ... 337
Neill's ... 337
Nile Grass ... 570
Noisy ... 337
pencil-tailed ... 337
Polynesian ... 337
Rice ... 475–76
Roof ... 337
Sladen's ... 337
Spiny ... 463, 475
Yellow Rajah ... 338
Rattus ... 646
berdmorei ... 334–35, 337
bowersi ... 332–33, 337
bukit ... 332–35, 337
cremoriventer ... 334, 337
everetti ... 646
exulans ... 334, 337, 646
koratensis ... 332, 334–35, 337
muelleri ... 334, 337
neilli ... 332, 337
niobe ... 646
rattus ... 332–35, 337, 600
sabanus ... 332–34, 337
surifer ... 332–34, 338
verecundus ... 646
sp. ... 333–34, 338
Reptilia ... 338, 357, 473, 570, 599
Rhinolophus affinis ... 334, 337
sp. ... 334, 337
Rhipidomys masticalis ... 183
Riparia paludicola ... 691
riparia ... 333, 336
Robin ... 411
rodent (see also Rodentia) ... 1, 36–37, 51, 90–98, 120, 126, 174, 357, 365, 369, 414, 469, 471, 473, 475, 494, 530, 558, 560, 563, 599
cricetine ... 561
microtine ... 561
murid ... 172
murine ... 38
Rodentia ... 172, 337, 377–82
Rousette, Geoffroy's ... 337
Rousettus amplexicaudatus ... 331, 337
Saccopteryx bilineata ... 475
Saguinus geoffroyi ... 475
Sayornis nigricans ... 690
Scapanus townsendii ... 218
Scardafella ... 207
inca ... 211
squamata ... 211
Sciurus carolinensis ... 35, 152
griseus ... 217, 559, 562
Scotophilus heathi ... 331, 337
kuhlii ... 331, 337
Selenarctos thibetanus .. 332–34, 336
Serotine, Surat ... 337
Serow ... 336

sheep ... 164, 257, 359, 414, 514–19
shrew ... 33, 599
House ... 337
Pacific Water ... 218
Short-tailed ... 35–38, 154
Smoky ... 37
Trowbridge's ... 218
Vagrant ... 218
Shrew-mole ... 218
Sigmodon hispidus ... 113
skunk ... 469
Striped ... 153–54
sloth ... 357–58, 473–74
Three-toed ... 475
Two-toed ... 463, 475, 481
snake ... 338
Indo-chinese Rat ... 338
Mangrove ... 338
Sorex bendirii ... 218
cinereus ... 94, 152, 164
fumeus ... 37
trowbridgii ... 218
vagrans ... 218
Soricidae ... 173
Soricini ... 171, 173
Sparrow, House ... 62, 409, 526, 530, 626–38, 682
Spermophilus beecheyi ... 217, 559, 561–62
lateralis ... 50, 561
Squamata ... 338
squirrel ... 172
Belly-banded ... 337
Burmese Striped Tree ... 338
California Ground ... 217–18
Douglas' ... 218
Flying ... 38
Golden-mantled Ground ... 50, 561
Gray ... 35, 152–55
Indochinese Ground ... 337
Northern Flying ... 217
Plantain ... 337
Red ... 97
Red-cheeked ... 337
Variable ... 337
Western Gray ... 217–18
Starling ... 409
Black-collared ... 336
Sterna anaethaetus ... 331, 335
sumatrana ... 331, 335
Stork, Open-billed ... 335
Strigidae ... 686
Strigiformes ... 336
Sturnus contra ... 331, 336
javanicus ... 331, 333, 336
nigricollis ... 331, 333, 336
tristis ... 333, 336
vulgaris ... 409
Suidae ... 686
Sus larvatus ... 648
scrofa ... 331–36, 618
Swallow, Cliff ... 690–92
Sylvilagus floridanus ... 36, 152
Tadarida plicata ... 335, 337
Talpidae ... 173
Tamarin, Geoffroy's ... 475
Tamias striatus ... 154
Tamiasciurus douglasii ... 218
hudsonicus ... 152
Tamiops maclellandi ... 334, 338
Taphozous georgianus ... 134
Tapir, Malayan ... 337
Tapirus indicus ... 332–34, 337
Tern, Black-naped ... 335
Bridled ... 335
Testudinata ... 338
Thecadactylus rapicaudus ... 472, 475
Thrasher, Brown ... 409
Thrush, Lesser Long-billed ... 336
Red-headed Laughing ... 335
Small-billed ... 336
Tiger ... 336
White-crested Laughing ... 336
tortoise ... 338
Toxostoma rufum ... 409
Tragulus javanicus ... 332–34, 336
Treeshrew, Common ... 337
Tropidurus torquatus ... 272, 274
Tupaia glis ... 332–35, 337
Turdus migratorius ... 411
turkey ... 335
ungulate ... 357
Upupa epops ... 333, 335
Urocyon cinereoargenteus ... 219
Uroderma bilobatum ... 2
Ursus americanus ... 51
Vampyressa nymphae ... 2
pusilla ... 2
Vampyrops helleri ... 2
Varanus bengalensis ... 331–32, 338
salvator ... 331, 338
sp. ... 331–32, 338
Viverra zibetha ... 334–36
Viverridae ... 511
vole ... 38, 97
Gray-tailed ... 218
Long-tailed ... 218
Meadow ... 37–38, 152–53, 155, 368
Red-backed ... 98, 216, 377
Southern Red-backed ... 33, 35, 37, 97, 368
Vulpes vulpes ... 219
warbler ... 336
Lanceolated Grasshopper ... 336
Woodchuck ... 38, 154
woodrat ... 97
Bushy-tailed ... 218
Dusky-footed ... 218
Zapus hudsonius ... 94
Zoothera dauma ... 333, 336
marginata ... 331, 333, 336
Zygodontomys lasiurus ... 185